ELSEVIER

Neuroscience Letters 343 (2003) 219–222

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 343

Akema, T., see Izaki, Y., 53
Akkawi, N., see Borroni, B., 213
Andreoni, S., see Begni, B., 73
Arai, A., see Maeda, T., 17
Arai, H., see Ohnuma, T., 70
Arinami, T., see Nakayama, J., 117
Arlt, S., see Ratzka, P., 29
Arteaga, J.R., see Basa, N.R., 25

Balon, N., Dupenloup, L., Blanc, F., Weiss, M., Rostain, J.-C., Nitrous oxide reverses the increase in striatal dopamine release produced by *N*-methyl-D-aspartate infusion in the substantia nigra pars compacta in rats, 147
Bao, X., see Lu, J., 151
Baptista, M.J., O'Farrell, C., Hardy, J., Cookson, M.R., Microarray analysis reveals induction of heat shock proteins mRNAs by the torsion dystonia protein, TorsinA, 5
Basa, N.R., Wang, L., Arteaga, J.R., Heber, D., Livingston, E.H., Taché, Y., Bacterial lipopolysaccharide shifts fasted plasma ghrelin to postprandial levels in rats, 25
Begni, B., Brighina, L., Fumagalli, L., Andreoni, S., Castelli, E., Francesconi, C., Del Bo, R., Bresolin, N., Ferrarese, C., Altered glutamate uptake in peripheral tissues from Down Syndrome patients, 73
Bianco, J.I., see Brown, J., 139
Blanc, F., see Balon, N., 147
Bordonali, T., see Borroni, B., 213
Borroni, B., Pettenati, C., Bordonali, T., Akkawi, N., Di Luca, M., Padovani, A., Serum cholesterol levels modulate long-term efficacy of cholinesterase inhibitors in Alzheimer disease, 213
Boyd, R.T., see Free, R.B., 180
Bresolin, N., see Begni, B., 73
Brighina, L., see Begni, B., 73
Brown, J., Bianco, J.I., McGrath, J.J., Eyles, D.W., 1,25-Dihydroxyvitamin D_3 induces nerve growth factor, promotes neurite outgrowth and inhibits mitosis in embryonic rat hippocampal neurons, 139
Bruni, A.C., see Di Natale, M., 210
Bueters, T.J.H., van Helden, H.P.M., IJzerman, A.P., Danhof, M., Low efficacy adenosine A_1 agonists inhibit striatal acetylcholine release in rats improving central selectivity of action, 57

Caicoya, E., see Cano, V., 13
Calassi, R., see Poncelet, M., 216
Calixto, J.B., see Mantovani, M., 1
Callewaert, G., see Van Damme, P., 81
Cano, V., Caicoya, E., Ruiz-Gayo, M., Effect of peripheral cholecystokinin receptor agonists on c-Fos expression in brain sites mediating food consumption in rats, 13
Cao, X.-D., see Huang, Y.-S., 109
Castelli, E., see Begni, B., 73
Cepek, L., see Ratzka, P., 29
Cha, C.I., see Chung, Y.H., 159
Chai, C.-Y., see Hong, L.-Z., 190
Chang, D.-J., see Kim, H., 134
Checler, F., see Yokota, O., 175
Chen, S., see Peng, B.-G., 21
Chen, Y., see Lu, J., 151
Chu, K., Kim, M., Jeong, S.-W., Kim, S.U., Yoon, B.-W., Human neural stem cells can migrate, differentiate, and integrate after intravenous transplantation in adult rats with transient forebrain ischemia, 129
Chung, Y.H., Joo, K.M., Lee, Y.J., Kim, M.J., Cha, C.I., Reactive astrocytes express cAMP-response-element-binding protein (CREB) binding protein (CBP) in the central nervous system of transgenic mice expressing a human Cu/Zn superoxide dismutase mutation, 159
Connors, B.W., see Telfeian, A.E., 121
Cookson, M.R., see Baptista, M.J., 5
Costa, E.T., Ferreira, V.M., Valenzuela, C.F., Evidence that nitric oxide regulates the acute effects of ethanol on rat *N*-methyl-D-aspartate receptors in vitro, 41

Döhlinger, S., see Ratzka, P., 29
Danhof, M., see Bueters, T.J.H., 57
Del Bo, R., see Begni, B., 73
Di Giovanni, G., see Sardo, P., 101
Di Luca, M., see Borroni, B., 213
Di Natale, M., Perri, M., Kawarai, T., Maletta, R., Tomaino, C., Sato, C., Nacmias, B., Shibata, N., Sorbi, S., St George-Hyslop, P.H., Bruni, A.C., Rogaeva, E., Absence of association between Alzheimer disease and the regulatory region polymorphism of the PS2 gene in an Italian population, 210
Dichl, J., see Schwarz, S., 167
Do, S.-H., Ham, B.-M., Zuo, Z., Effects of propofol on the activity of rat glutamate transporter type 3 expressed in *Xenopus* oocytes: the role of protein kinase C, 113
Dupenloup, L., see Balon, N., 147

Eisele, T., see Schwarz, S., 167
Eyles, D.W., see Brown, J., 139

Förstl, H., see Schwarz, S., 167
Ferrarese, C., see Begni, B., 73
Ferraro, G., see Sardo, P., 101
Ferreira, V.M., see Costa, E.T., 41
Ferrero, M., see Rainero, I., 155
Francesconi, C., see Begni, B., 73
Free, R.B., von Fischer, N.D., Boyd, R.T., McKay, D.B., Pharmacological

doi:10.1016/S0304-3940(03)00533-0

characterization of recombinant bovine α3β4 neuronal nicotinic receptors stably expressed in HEK 293 cells, 180
Fuchs, H., Hauber, W., Reverse microdialysis of ionotropic glutamate receptor agonists in the rat globus pallidus increased extracellular dopamine, 37
Fukuizumi, T., Ohkubo, T., Kitamura, K., Spinal sensitization mechanism in vincristine-induced hyperalgesia in mice, 89
Fukuoka, T., see Shimode, N., 45
Fumagalli, L., see Begni, B., 73

Gear, R.W., see Schmidt, B.L., 144
Gerhardt, G.A., see Sabeti, J., 9
Grimaldi, L.M.E., see Rainero, I., 155

Ham, B.-M., see Do, S.-H., 113
Hamano, K., see Nakayama, J., 117
Hardy, J., see Baptista, M.J., 5
Hattori, G., Tanaka, E., Yokomizo, Y., Shigemori, M., Higashi, H., Electrical and pharmacological properties of the slow depolarization induced by Schaffer collateral stimulation in astrocytes of the rat hippocampal CA1 region, 85
Hauber, W., see Fuchs, H., 37
Heber, D., see Basa, N.R., 25
Hermans, E., see Peeters, M., 205
Herzog, M.H., see Kammer, T., 171
Higashi, H., see Hattori, G., 85
Hogan, Q., see Sarantopoulos, C., 185
Hong, C.-J., see Tsai, S.-J., 93
Hong, L.-Z., Chai, C.-Y., Involvement of *N*-methyl-D-aspartate receptors in post-hypoxic depression of the dorsomedial medulla in cats, 190
Hong, M.-S., see Lim, S., 49
Hong, S.K., see Kim, J., 200
Hori, S., see Mizuno, Y., 77
Horiuchi, Y., see Nakayama, J., 117
Hou, X.-Y., Zhang, G.-Y., Zong, Y.-Y., Suppression of postsynaptic density protein 95 expression attenuates increased tyrosine phosphorylation of NR2A subunits of *N*-methyl-D-aspartate receptors and interactions of Src and Fyn with NR2A after transient brain ischemia in rat hippocampus, 125
Huang, Y.-S., Jiang, J.-W., Cao, X.-D., Wu, G.-C., Melatonin enhances lymphocyte proliferation and decreases the release of pituitary pro-opiomelanocortin-derived peptides in surgically traumatized rats, 109

IJzerman, A.P., see Bueters, T.J.H., 57
Ishihara, T., see Yokota, O., 175
Ishizu, H., see Yokota, O., 175
Iwasaki, N., see Nakayama, J., 117
Izaki, Y., Nomura, M., Akema, T., Evoked prefrontal gamma oscillation by hippocampal train stimulation in anesthetized rats, 53

Jacobi, C., see Ratzka, P., 29
Jeong, S.-W., see Chu, K., 129
Jiang, J.-W., see Huang, Y.-S., 109
Jiang, Y., see Lu, J., 151
Joo, K.M., see Chung, Y.H., 159
Jung, J.-S., see Kim, D.-H., 62

Kaang, B.-K., see Kim, H., 134
Kakizuka, A., see Mizuno, Y., 77
Kammer, T., Scharnowski, F., Herzog, M.H., Combining backward masking and transcranial magnetic stimulation in human observers, 171
Kannari, K., see Maeda, T., 17
Kawarai, T., see Di Natale, M., 210
Kim, D.-H., Moon, Y.-S., Jung, J.-S., Min, S.-K., Son, B.-K., Suh, H.-W., Song, D.-K., Effects of ginseng saponin administered intraperitoneally on the hypothalamo-pituitary-adrenal axis in mice, 62
Kim, H., Chang, D.-J., Lee, J.-A., Lee, Y.-S., Kaang, B.-K., Identification of nuclear/nucleolar localization signal in *Aplysia* learning associated protein of slug with a molecular mass of 18 kDa homologous protein, 134
Kim, J., Yoon, Y.W., Hong, S.K., Na, H.S., Cold and mechanical allodynia in both hindpaws and tail following thoracic spinal cord hemisection in rats: time courses and their correlates, 200
Kim, M., see Chu, K., 129
Kim, M.J., see Chung, Y.H., 159
Kim, S.-T., see Lim, S., 49
Kim, S.U., see Chu, K., 129
Kitamura, K., see Fukuizumi, T., 89
Kohsaka, S., see Nakajima, K., 33
Kretzschmar, H.A., see Ratzka, P., 29
Kugo, A., see Yokota, O., 175
Kurihara, T., see Nakajima, K., 33
Kuroda, S., see Yokota, O., 175
Kurz, A., see Schwarz, S., 167
Kwok, W.-M., see Sarantopoulos, C., 185

La Grutta, V., see Sardo, P., 101
Lee, J.-A., see Kim, H., 134
Lee, Y.J., see Chung, Y.H., 159
Lee, Y.-S., see Kim, H., 134
Levine, J.D., see Schmidt, B.L., 144
Leyssen, M., see Van Damme, P., 81
Lim, S., Ryu, Y.-H., Kim, S.-T., Hong, M.-S., Park, H.-J., Acupuncture increases neuropeptide Y expression in hippocampus of maternally-separated rats, 49
Lin, X., see Peng, B.-G., 21
Liu, H.-C., see Tsai, S.-J., 93
Liu, T.-Y., see Tsai, S.-J., 93
Liu, X., see Lu, J., 151
Livingston, E.H., see Basa, N.R., 25
Lu, J., Chen, Y., Pan, H., Zhang, Y., Wu, H., Xu, K., Liu, X., Jiang, Y., Bao, X., Shen, Y., Wu, X., The gene encoding GABBR1 is not associated with childhood absence epilepsy in the Chinese Han population, 151

Müller, U., see Schwarz, S., 167
Maeda, T., Kannari, K., Shen, H., Arai, A., Tomiyama, M., Matsunaga, M., Suda, T., Rapid induction of serotonergic hyperinnervation in the adult rat striatum with extensive dopaminergic denervation, 17
Maletta, R., see Di Natale, M., 210
Maloteaux, J.-M., see Peeters, M., 205
Mantovani, M., Pértile, R., Calixto, J.B., Santos, A.R.S., Rodrigues, A.L.S., Melatonin exerts an antidepressant-like effect in the tail suspension test in mice: evidence for involvement of *N*-methyl-D-aspartate receptors and the L-arginine-nitric oxide pathway, 1
Marques, M.J., see Neto, H.S., 67
Martins, A.J., see Neto, H.S., 67
Maruani, J., see Poncelet, M., 216
Matsubara, Y., see Ohnuma, T., 70
Matsui, A., see Nakayama, J., 117

Matsunaga, M., see Maeda, T., 17
McCallum, B., see Sarantopoulos, C., 185
McGrath, J.J., see Brown, J., 139
McKay, D.B., see Free, R.B., 180
Min, S.-K., see Kim, D.-H., 62
Minatel, E., see Neto, H.S., 67
Mizuno, Y., Hori, S., Kakizuka, A., Okamoto, K., Vacuole-creating protein in neurodegenerative diseases in humans, 77
Monfort, V., Pouthas, V., Effects of working memory demands on frontal slow waves in time-interval reproduction tasks in humans, 195
Moon, Y.-S., see Kim, D.-H., 62

Na, H.S., see Kim, J., 200
Nacmias, B., see Di Natale, M., 210
Nakahara, S., see Nakayama, J., 117
Nakajima, K., Tohyama, Y., Kohsaka, S., Kurihara, T., Suppression of lipopolysaccharide-dependent tumor necrosis factor α induction in rat microglia, in which protein kinase Cα is down-regulated, 33
Nakashima, H., see Yokota, O., 175
Nakashima, Y., see Yokota, O., 175
Nakayama, J., Hamano, K., Noguchi, E., Horiuchi, Y., Iwasaki, N., Ohta, M., Nakahara, S., Naoi, T., Matsui, A., Arinami, T., Failure to find causal mutations in the $GABA_A$-receptor γ2 subunit (*GABRG2*) gene in Japanese febrile seizure patients, 117
Naoi, T., see Nakayama, J., 117
Neto, H.S., Martins, A.J., Minatel, E., Marques, M.J., Axonal sprouting in *mdx* mice and its relevance to cell and gene mediated therapies for Duchenne muscular dystrophy, 67
Noguchi, E., see Nakayama, J., 117
Noguchi, K., see Shimode, N., 45
Nomura, M., see Izaki, Y., 53

O'Farrell, C., see Baptista, M.J., 5
Ohkubo, T., see Fukuizumi, T., 89
Ohnuma, T., Shibata, N., Matsubara, Y., Sato, S., Yamashina, M., Arai, H., No genetic association between polymorphisms in the *Fyn* kinase gene and age of schizophrenic onset, 70
Ohta, M., see Nakayama, J., 117
Okamoto, K., see Mizuno, Y., 77
Otto, M., see Ratzka, P., 29

Pértile, R., see Mantovani, M., 1
Padovani, A., see Borroni, B., 213
Pan, H., see Lu, J., 151
Park, H.-J., see Lim, S., 49
Peeters, M., Maloteaux, J.-M., Hermans, E., Distinct effects of amantadine and memantine on dopaminergic transmission in the rat striatum, 205
Peng, B.-G., Chen, S., Lin, X., Aspirin selectively augmented *N*-methyl-D-aspartate types of glutamate responses in cultured spiral ganglion neurons of mice, 21
Perri, M., see Di Natale, M., 210
Petersson, M., Uvnäs-Moberg, K., Systemic oxytocin treatment modulates glucocorticoid and mineralocorticoid receptor mRNA in the rat hippocampus, 97
Pettenati, C., see Borroni, B., 213
Pinessi, L., see Rainero, I., 155
Poncelet, M., Maruani, J., Calassi, R., Soubrié, P., Overeating, alcohol and sucrose consumption decrease in CB1 receptor deleted mice, 216
Poser, S., see Ratzka, P., 29
Pouthas, V., see Monfort, V., 195
Prange, H., see Ratzka, P., 29

Rainero, I., Salani, G., Valfrè, W., Savi, L., Rivoiro, C., Ferrero, M., Pinessi, L., Grimaldi, L.M.E., Absence of linkage between the interleukin-6 gene (− 174 G/C) polymorphism and migraine, 155
Ratzka, P., Döhlinger, S., Cepek, L., Steinacker, P., Arlt, S., Jacobi, C., Schröter, A., Wiltfang, J., Prange, H., Kretzschmar, H.A., Poser, S., Otto, M., Different binding pattern of antibodies to prion protein on lymphocytes from patients with sporadic Creutzfeldt–Jakob disease, 29
Riemenschneider, M., see Schwarz, S., 167
Rivoiro, C., see Rainero, I., 155
Robberecht, W., see Van Damme, P., 81
Rodrigues, A.L.S., see Mantovani, M., 1
Rogaeva, E., see Di Natale, M., 210
Rostain, J.-C., see Balon, N., 147
Ruiz-Gayo, M., see Cano, V., 13
Ryu, Y.-H., see Lim, S., 49

Sabeti, J., Gerhardt, G.A., Zahniser, N.R., Chloral hydrate and ethanol, but not urethane, alter the clearance of exogenous dopamine recorded by chronoamperometry in striatum of unrestrained rats, 9
Sakamoto, H., Shikimi, H., Ukena, K., Tsutsui, K., Neonatal expression of progesterone receptor isoforms in the cerebellar Purkinje cell in rats, 163
Salani, G., see Rainero, I., 155
Santos, A.R.S., see Mantovani, M., 1
Sapunar, D., see Sarantopoulos, C., 185
Sarantopoulos, C., McCallum, B., Sapunar, D., Kwok, W.-M., Hogan, Q., ATP-sensitive potassium channels in rat primary afferent neurons: the effect of neuropathic injury and gabapentin, 185
Sardo, P., Ferraro, G., Di Giovanni, G., La Grutta, V., Nitric oxide-induced inhibition on striatal cells and excitation on globus pallidus neurons: a microiontophoretic study in the rat, 101
Sato, C., see Di Natale, M., 210
Sato, S., see Ohnuma, T., 70
Savi, L., see Rainero, I., 155
Scharnowski, F., see Kammer, T., 171
Schmidt, B.L., Gear, R.W., Levine, J.D., Response of neuropathic trigeminal pain to the combination of low-dose nalbuphine plus naloxone in humans, 144
Schröter, A., see Ratzka, P., 29
Schwarz, S., Eisele, T., Diehl, J., Müller, U., Förstl, H., Kurz, A., Riemenschneider, M., Lack of association between a single nucleotide polymorphism within the choline acetyltransferase gene and patients with Alzheimer's disease, 167
Shen, H., see Maeda, T., 17
Shen, Y., see Lu, J., 151
Shibata, N., see Di Natale, M., 210
Shibata, N., see Ohnuma, T., 70
Shigemori, M., see Hattori, G., 85
Shikimi, H., see Sakamoto, H., 163
Shimode, N., Fukuoka, T., Tanimoto, M., Tashiro, C., Tokunaga, A., Noguchi, K., The effects of dexmedetomidine and halothane on Fos expression in the spinal dorsal horn using a rat postoperative pain model, 45
Son, B.-K., see Kim, D.-H., 62
Song, D.-K., see Kim, D.-H., 62
Sorbi, S., see Di Natale, M., 210
Soubrié, P., see Poncelet, M., 216
St George-Hyslop, P.H., see Di Natale, M., 210
Steinacker, P., see Ratzka, P., 29
Suda, T., see Maeda, T., 17
Suh, H.-W., see Kim, D.-H., 62

Szulczyk, B.s., Szulczyk, P.s., Postdecentralization plasticity of voltage-gated Na^+ currents in rat glandular sympathetic neurons, 105
Szulczyk, P.s., see Szulczyk, B.s., 105

Taché, Y., see Basa, N.R., 25
Tanaka, E., see Hattori, G., 85
Tanimoto, M., see Shimode, N., 45
Tashiro, C., see Shimode, N., 45
Telfeian, A.E., Connors, B.W., Widely integrative properties of layer 5 pyramidal cells support a role for processing of extralaminar synaptic inputs in rat neocortex, 121
Terada, S., see Yokota, O., 175
Tohyama, Y., see Nakajima, K., 33
Tokunaga, A., see Shimode, N., 45
Tomaino, C., see Di Natale, M., 210
Tomiyama, M., see Maeda, T., 17
Tsai, S.-J., Liu, H.-C., Liu, T.-Y., Wang, K.-Y., Hong, C.-J., Lack of association between the interleukin-1alpha gene C(− 889)T polymorphism and Alzheimer's disease in a Chinese population, 93
Tsutsui, K., see Sakamoto, H., 163

Ujike, H., see Yokota, O., 175
Ukena, K., see Sakamoto, H., 163
Uvnäs-Moberg, K., see Petersson, M., 97

Valenzuela, C.F., see Costa, E.T., 41
Valfrè, W., see Rainero, I., 155
Van Damme, P., Leyssen, M., Callewaert, G., Robberecht, W., Van Den Bosch, L., The AMPA receptor antagonist NBQX prolongs survival in a transgenic mouse model of amyotrophic lateral sclerosis, 81
Van Den Bosch, L., see Van Damme, P., 81
van Helden, H.P.M., see Bueters, T.J.H., 57
von Fischer, N.D., see Free, R.B., 180

Wang, K.-Y., see Tsai, S.-J., 93
Wang, L., see Basa, N.R., 25
Weiss, M., see Balon, N., 147
Wiltfang, J., see Ratzka, P., 29
Wu, G.-C., see Huang, Y.-S., 109
Wu, H., see Lu, J., 151
Wu, X., see Lu, J., 151

Xu, K., see Lu, J., 151

Yamashina, M., see Ohnuma, T., 70
Yokomizo, Y., see Hattori, G., 85
Yokota, O., Terada, S., Ishizu, H., Ishihara, T., Ujike, H., Nakashima, H., Nakashima, Y., Kugo, A., Checler, F., Kuroda, S., Cyclooxygenase-2 in the hippocampus is up-regulated in Alzheimer's disease but not in variant Alzheimer's disease with cotton wool plaques in humans, 175
Yoon, B.-W., see Chu, K., 129
Yoon, Y.W., see Kim, J., 200
Zahniser, N.R., see Sabeti, J., 9
Zhang, G.-Y., see Hou, X.-Y., 125
Zhang, Y., see Lu, J., 151
Zong, Y.-Y., see Hou, X.-Y., 125
Zuo, Z., see Do, S.-H., 113